SURFACING

- PAVING TO TROLLEY BAY TO BE RMC 'UNI - BLOCK' SYSTEM (NOMINAL 225 x 112.5 x 60mm), WITH CHAMFERLESS EDGE, LAID HERRINGBONE PATTERN, COLOUR: NATURAL GREY. REFER ALSO TO LIDL STANDARD CLAUSE 6B.12.2.
- LANDSCAPING AREAS, AS CLAUSE 6B.12.8, AND NOTE BELOW
- 38 TONNE SURFACING, AS CLAUSE 6B.11.2
- NON HGV BIT MAC, AS CLAUSE 6B.11.1
- CONCRETE, TO ENGINEERS DESIGN REFER TO LIDL CLAUSE 6B.11.7
- COMPACTED GRAVEL, TO ENGINEER'S SPECIFICATION
- CROSS OVER (TO LA APPROVAL)

APPROX. LOCATION OF EXISTING FAST FOOD OUTLET (REFERENCE PURPOSES ONLY)



ACCESS TO FAST FOOD OUTLET (REFERENCE PURPOSES ONLY)

access to Mcdonalds car park

Key to terms used on survey :
- wsv - Water Stop Valve
- gsv - gas Stop Valve
- lp - Lamp Post
- wpwmf - Wooden Post and Wire Mesh Fence
- wmf - Wire Mesh Fence
- cpwmf - Concrete Post and Wire Mesh Fence
- cbf - Close Board Fence
- bt - British Telecom pole/cover
- pxg - pram crossing
- dk - drop kerb
- ep - electricty pole
- ⚠ - survey station

tarmac
gu
dk
sw head
300mm
LASER SURVEYS CL 8.75
SITE BOUNDARY
Lc
+ 9.26
+ 9.20
+ 9.00
+ 9.84
+ 9.30
+ 9.35
+ 9.43
+ 9.40
+ 9.54
+ 9.69
+ 9.50
+ 9.46
+ 9.52
+ 9.63
+ 9.64
+ 9.59
+ 9.44
+ 9.95
9.840
FFL + 9.84
LANDSCAPING
WALL BUILT AROUND LANDSCAPING TO PROTECT FROM FALLING
LIDL GANTRY SIGN (REFER TO LIDL CLAUSE 6B.14.3)
38 TONNE CAPACITY SURFACING
DELIVERY VEHICLE REVERSING
DELIVERY VEHICLE ENTERING SITE
DELIVERY VEHICLE STOPPED
CONCRETE SERVICE RAMP
MEANS OF ESCAPE
REFER TO "MEANS OF ESCAPE" NOTE
CHILLER DISPLAY CABINETS
CROSSOVER
VEHICLE ENTRANCE / EXIT
TROLLEY BAY
NOTE
5 NUMBER CYCLE STAYS INCORPORATED INTO TROLLEY RAIL ASSEMBLY BELOW ENTRANCE CANOPY
CUSTOMER ENTRANCE / EXIT
DISABLED SPACES
ELECT. SUB STATION
sub station
1.8mhi cpk ctn
grass
COMPACTED GRAVEL
ADJOINING COMMERCIAL UNIT
SITE BOUNDARY (REAR WALL OF ADJOINING UNIT)
White lining hatching on Tarmac
gas marker
footpath
access to tarmac car park
insulator 28.01
stn
stn4
pxg
lp
sw
600mm
head
fw
225mm
300 ø
450 ø
150 ø
450mm
FALL
TWL

PLC ARCHITECTS © COPYRIGHT RESERVED 2001
NOT TO BE SCALED. DIMENSIONS TO BE CHECKED ON SITE

GENERAL NOTES

THE CONTRACTOR SHALL NOTE THE FOLLOWING, AND ACT ACCORDINGLY WHERE RELEVANT CIRCUMSTANCES ARISE.

BEFORE COMMENCING WORK ALL RELEVANT DIMENSIONS AND SITE FEATURES ARE TO BE VERIFIED AGAINST CONTRACTUAL INFORMATION. WHERE A DISCREPANCY ARISES, THE EMPLOYERS AGENT SHALL BE INFORMED. AFFECTED AREAS OF WORK SHALL NOT BE COMMENCED WITH ACCORDINGLY.

ANY DISCREPANCIES IN CONSTRUCTION INFORMATION ARE TO BE NOTIFIED TO THE RELEVANT PARTIES AND THE APPROPRIATE INSTRUCTION SOUGHT.

ALL DIMENSIONS IN MILLIMETERS, UNLESS OTHERWISE STATED.

ALL PREFABRICATED ELEMENTS ARE TO HAVE THEIR DESIGN PARAMETERS MEASURED ON SITE, AND DRAWINGS PROVIDED TO THE EMPLOYERS AGENT FOR APPROVAL, BEFORE MANUFACTURE.

ALL PROPRIETARY COMPONENTS ARE TO BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURERS CURRENT WRITTEN INSTRUCTIONS.

FAREHAM BOROUGH COUNCIL PLANNING & DEVELOPMENT
12 APR 2002
APP No P/01/0335/DP/A
DECISION
APPROVED/PERMISSION
26 APR 2002

ATTENTION

THIS DRAWING MUST BE READ IN CONJUNCTION WITH THE TENDER DOCUMENTS (PARTICULARLY LIDL CORPORATE BUILDING SPECIFICATION, LATEST REVISION) ISSUED BY THE PROJECT MANAGER, INDICATING THE GENERAL PARAMETERS OF THE PROPOSED WORKS. THIS DRAWING IS SUBJECT TO:

INSTRUCTIONS ISSUED BY THE EMPLOYERS AGENT
FINAL DETAILED DESIGN INPUT OF THE APPOINTED CONTRACTOR
AMENDMENTS REQUIRED DUE TO INFORMATION UNCOVERED DURING SITE OPERATIONS

STATUTORY REQUIREMENTS

THE CONTRACTORS PROPOSALS SHALL INCORPORATE ALL ELEMENTS REQUIRED FOR COMPLIANCE WITH:

THE CURRENT BUILDING REGULATIONS (PARTICULARLY FIRE PROTECTION)
FIRE OFFICERS REQUIREMENTS (PARTICULARLY MEANS OF ESCAPE)
HEALTH AND SAFETY LEGISLATION (ATTENTION DRAWN TO THE CDM REGULATIONS)

IT WILL REMAIN THE RESPONSIBILITY OF THE CONTRACTOR TO ADHERE TO THESE REQUIREMENTS. THE EMPLOYERS REQUIREMENTS SHOWN ARE TO BE CONSIDERED IN ACCORDANCE WITH THESE PARAMETERS.

STRUCTURAL DETAILS

ALL STRUCTURAL DETAILS ARE INDICATIVE ONLY AND SUBJECT TO THE SPECIALIST ADVICE OF THE CONSULTING ENGINEER.

DRAINAGE NOTE

LEVEL AROUND BUILDING TO MAX 9.69m AND MIN LEVEL AROUND BUILDING = 150mm ABOVE TRENCH FOUNDATIONS = 9.165+ 0.15 = 9.315M

1:1 1:50 1:100 1:200 1:500 1:1250 1:250 1:2500

File Ref P/01/0335 Size:

Revision	Description	Date	Drawn	Checked
C	Extra Levels added to drawing	09.04.02	GM	

PLC ARCHITECTS
Lansdowne House
25-26 Hampshire Terrace
Portsmouth PO1 2QF
Hampshire England
Tel: (023) 927 55 333
Fax: (023) 927 55 222
E-Mail: PLC_Architects@compuserve.com
CHARTERED ARCHITECTS & MARINA DESIGN CONSULTANTS

Project:
Proposed Food Store for Lidl UK GMRH at:
Speedfield Park, Fareham
LIDL 0869 - FAREHAM

Drawing Title:
Proposed Site Plan

Drawn By	Date	Checked By	Date	Approved By	Date
GM	MAR 02				

Drawing No.	Revision:	Scale:
02 | 732 | 101	C	1:200

APPROVAL ☐ INFORMATION ☐ TENDER ☐ CONTRACT ☐ CONSTRUCTION ☐