FAREHAM BOROUGH COUNCIL
PLANNING DEPARTMENT
25 APR 2000
P/00/0252/FP
APPROVED/PERMISSION
15 MAY 2000

All RWP's to discharge to soakaways min 1m3 and minimum 5m from building

Drains under building to be exposed and protected to LA satisfaction

Extract fans to be fitted in Kitchen (60L/sec) Utility Room (30L/sec) and existing WC 15L/sec and ducted to external air

75mm RWP

Resite manhole and alter drains to new position

fit double seal screw down air tight covers to both manholes

Sink wastes 38mm with 75mm deep seal traps

fit sealed covers to existing gullies

Resite manhole and alter drain to new position

KITCHEN

450 x 225 x 100mm deep padstone

450 x 450 x 225mm deep padstone

200 x 100mm timber beam

Remove existing external wall and build in 2No steel beams 203 x 102mm x 37 Kg UB's.

2No 178 x 102mm UB steel beams encased in 2 layers 12.5mm plbd + skim.
450 x 225 x 100mm padstones at bearings

timber stud partition

LOUNGE

STUDY

DINER

75mm RWP

Note : Porch construction as section B-B

75mm RWP

75mm RWP

PROPOSED GROUND FLOOR

1:1
1:50
1:100
1:200
1:500
1:1250
1:250
1:2500

File Ref P/00/0252/FP Size: A3

PROPOSED EXTENSIONS TO DWELLING AT : -
49 SISSINGHURST
PORTCHESTER
Scales 1 : 50 & 1 : 100